# 2. Barclaycard SmartPay Payment Gateway User Guide

Thank you for purchasing our extension. If you have any questions that are beyond the scope of this document, do not hesitate to leave us an email via our email address below.

Created: 02/03/2017 | By: Magenest | Support Portal: http://servicedesk.izysync.com/servicedesk/customer/portal/76

- Introduction
  - Hightlight Features
  - System Requirements
- Configuration
  - Set up from Barclay home page
  - Set up The Integration On Magento 2
  - Require settings
  - ePDQ Hosted Payment Page integration (Recommend Integration)
- Main Functions
- \* Easily Checkout Using Credit Card
- Update
- Support

# Introduction

Barclaycard SmartPay Payment Gateway extension by Magenest is the great payment tool synchronizing from your Magento 2 store to the Barclays Payment Gateway.

### **Hightlight Features**

- A lot of features is included in the extension that you can tweak to make it best suit your business, including:
  - Choose between Authorize Only or Authorize and Capture.
  - New order status.
  - Email customer.
  - Allowed credit card types.
  - Enable CVC verification.
  - Allowed country.
  - Order total threshold.
- Easily manage orders
- Easily capture, cancel and refund payments.

### **System Requirements**

Your store should be running on Magento 2 Community Edition version 2.1.x.

# Configuration

#### Set up from Barclay home page

When having Barclay account, you will login on the page: https://ca-test.barclaycardsmartpay.com



S barclaycar	Test system  We use cookies to give you the best browsing experience and to help us understand how you use our site. Cookies are small snippets of data stored on your computer and some have already been set. By continuing to use our website you are accepting our use of cookies. To find out more, read about cookies (9)
	Please Sign In   Account   Magento2   User Name   admin   Password   ••••••••••••••••••••••••••••••••••••

#### When Barclay home page appears, you choose **Skins->List->Skin Code**:

Lest system         List       New       Edit       Upload       Publish       Test HMAC       Test         Skins for the Payment Pages       Skins for the payment pages       Skins for the payment pages       Skins code       Name       Quadratic counts       Upload       Download       Remove         Skins code       Name       Valid accounts       Upload       Download       Remove         Skins code       Name       Magento 2 skin       ±       X         Sight/Xkin       magento 4       Magento 2 COM       ±       ±         Sight/Xkin       test 2       Magento 2 COM       ±       ±       X         Sight/Skin       test smart 2       Magento 2 COM       ±       ±       X         Sight/Skin       test smart 2       Magento 2 COM       ±       ±       X         set       Create a new skin       test smart 2       test smart 2 </th <th>Carcloycord SmartPay</th> <th>✓ <u>Magento2</u></th> <th></th> <th></th> <th></th> <th></th> <th>adyr</th>	Carcloycord SmartPay	✓ <u>Magento2</u>					adyr
Skins for the payment pages         skin Code       Name       Valid accounts       Upload       Download       Remove         iiii ScijH7Kii       magento 2 skin	List Skins for the	New Edit Upload	Publish Test H	IMAC Test			
Image of the set	Skins for the	Name		Valid accounts	Upload	Download	Remove
ect Create a new skin	SOJITAN     SOJITAN     TriggigM     Onj01d1A     DU6H5v0v	magento 2 skill magento4 test 2 test smart 2		Magento2COM Magento2COM	2		×
	t Create a new s	skin					
			Terms	of Use   Accessibility	Contact Us © Barclaycard 2010		

In Test& Live configuration item, you click Generate new HMAC Key depending on platform you choose Test platform or Live platform

P V Mage		adyen
Test system	Unload Publish Test HMAC Test	
Edit skin configuratio		
Skin details		
	6 / 11 / 1/	
Skin Code Version	SdjH/Kii	
Description	magento 2 skin	
Belongs To	Magento2	
Test & Live configurati		]
	Test platform Live platform	
HMAC Keys	2E8739286683B3C4BCE4E8984D459A8D599404AAC20780CD7F6E0D98357B64F7AF7C9593D739F3EB16	
	Generate new HMAC Key Generate new HMAC Key	
Result URLs		
o		
Conunue-to ORLS		
Skin Options		
Valid Accounts		
Status Account		
<ul> <li>Magento2COM</li> </ul>		
Save Skin to Test		
Extra options		
Payment Methods		
Custom Fields		
Download Skin	and the second se	
Remove Skin Edit Language Files		

This HMAC Keys provides integrators and developers the means to synchronize between Barclay home page and the Magento system

## Set up The Integration On Magento 2

Navigate to your Backend of Magento 2 -> Stores >Configuration>Sales> Payment Methods -> Barclay SmartPay Solutions:

Users enter HMAC Key and Skin Code and set up features such as below table:

## **Require settings**

Û	Configuration 2		Save Config	Í
DASHBOARD	CUSTOMERS	~	Merchant Country (instance)         -Please Select         •           If not specified, Default Country from General Config will be used         •	1
\$ SALES	sales 3	^	RECOMMENDED SOLUTIONS:	
PRODUCTS	Sales Sales Emails		PayPal Express Checkout Add another payment method to your existing solution or as a stand-alone option. Configure Configure	
MARKETING CONTENT	PDF Print-outs Tax		Braintree Accept credit/debit cards and PayPal In your Magento store. A PayPal compary VISA Comments and PayPal In your Magento store. No setup or monthly fees and your customers never leave your store to complete the purchase.	
REPORTS	Checkout		OTHER PAYPAL PAYMENT SOLUTIONS: ▼	
STORES	Shipping Settings		OTHER PAYMENT METHODS:	
SYSTEM	Multishipping Settings		O Check / Money Order	
FIND PARTNERS & EXTENSIONS	Google API		⊙ Bank Transfer Payment	
	Payment Methods 4		😔 Cash On Delivery Payment	
	SERVICES	~	⊙ Zero Subtotal Checkout	
	ADVANCED	~	⊙ Purchase Order	
barclaycard.o	demo.izysync.com/admin/admin/system_config/ed	it/section/pay	Authorize.net Direct Post ment/#payment_us_recommended_solutions-link	,
ŝ	Configuration			
	Comgulation		Save comp	-
DASHBOARD			⊘ Barclaycard ePDQ	
SALES			Barclaycard ePDQ Magenest Barclaycard ePDQ payment gateway	ļ
PRODUCTS			Version: 1.3.0 Need support: Submit a ticket Contact us: support@magenest.com	
			⊘ Required Settings	
CONTENT			Barclaycard ePDQ Config	
REPORTS			PSPID quanghien95 (Barclaycard ePDQ) Your affiliation name in our system.	
STORES			Hash algorithm         SHA-512         v           (website)         (Barcdaycard ePOQ) Sha-out phrase can get in "Configuration->Technical Information->clobal security parameters"         v           Choose sha-256 or higher to have more secure but slower validate processing         v         v	
SYSTEM			Hash algorithm must be same config with Barclaycard ePDQ config Order prefix demo	
			(website) Enter some prefix character (max 5 characters)	
			Default Settlement Currency [store view] Only Input currency code is supported by Barclaycard. If you leave blank this field, the payment will use base currency of your store.	

PSID is a UserID in barclay.

						C
me Support Configuration - Advanced	Operations 🗢					
Password   Account   Payment methods	Users   Technical information   Template	Error logs				
sers management - quanghien95						
Search by						
· ·····,						-
	User ID	Contains			Status Active	-
					Prome Ail promes	
SEARCH						
Maximum allowed users: 10						
UserID	Sta	dus	Profile	Scope		
	Active	Admin		Account	Edit Deactivate Change password	
100	Active	Admin		Account	Edit Deactivate Change password	
quanghien95	Active	Admin		Account	Edit	
						1 - 3 of 3 items
NEW USER						
Lorin Access						
i IP address						
	esses, separated by ";"					
You may enter several IP add	assiest betongs to the range that you define					
You may enter several IP add Please make sure that your IF						
You may enter several IP add Please make sure that your IF SAVE						
You may enter several IP add Please make sure that your IF SAVE						
You may enter several IP add Please make sure that your IP SAVE		UserID: quanghien95 - quanghien95@gmai	.com   Last login: 2017-12-21 09:04:20 - PSPID	: quanghien95   Profile: Admin   2017-12-21 09:40:23	I Print	

#### Login Barclay -> Configuration -> Users -> Click "New user"

In Create user form, after filling out your information, you need ro click "Related FQA" and click "Create" button.

	скиль і зоррон.
Home Support Configuration - Advanced - Operations	
Baccurrent   Account   Davement methods   Lions   Too	haired information 1. Francisco 1. Francisco
User's detail	
	· · ·
UserID	
REFID	quanghier95
User type	PSRD
User's name	
E-mail address	
Timezone	(GMT) Greenwich Mean Time : Dublin, Edinburgh, Lisbon, London
	C Automatically adjust to daylight saving changes
User created by	quanghier95-ipuanghier95-PSPID
Profile	Admin v
Scope limited to user?	
Special user for API (no access to admin.)	Related EAQ
Access rights	Fraud detection
	Technical information
	Payment methods
To confirm the modification, please enter your own password	•
CREATE BACK TO LIST	
	UseriD: quanghien95 - quanghien95@gmail.com   Last login: 2017-12-21 09:04:20 - PSPID: quanghien95   Profile: Admin   2017-12-21 09:49:42   Print

#### Hash algorithm

Hash algorithm need to same with Hash algorithm in barclay

(Barclaycard ePDQ) Sha-out phrase can get in "Configuration->Technical information->Global security parameters"

Yor rechnical series Cebula transaction parameter     Permert Page Data and origin vertification     Testaction e-mails     Testaction e-mails <th>Your technical seriesting Robal discussioning parameters     Interface   <th>Jome Su</th><th>poort Configuration V Advanced V</th><th>Operations v</th></th>	Your technical seriesting Robal discussioning parameters     Interface     Interface <th>Jome Su</th> <th>poort Configuration V Advanced V</th> <th>Operations v</th>	Jome Su	poort Configuration V Advanced V	Operations v
Your exclude using Goodal security parameters     Image: Constrained using security parameters	Your exclusion Colord transaction pragrame     Presenting of a conclusion of facts and signature checks of which the pase phrases are configured under "Data and origin" and "Feedbacks".     Image: Conclusion of facts and signature checks of which the pase phrases are configured under "Data and origin" and "Feedbacks".     Image: Conclusion of facts and signature checks of which the pase phrases are configured under "Data and origin" and "Feedbacks".     Image: Conclusion of facts and signature checks of which the pase phrases are configured under "Data and origin" and "Feedbacks".     Image: Conclusion of facts and signature checks of which the pase phrases are configured under "Data and origin" and "Feedbacks".     Image: Conclusion of facts and signature checks of which the pase phrases are configured under "Data and origin" and "Feedbacks".     Image: Conclusion of facts and signature checks of which the pase phrases are configured under "Data and origin" and "Feedbacks".     Image: Conclusion of facts and signature checks of which the pase phrases are configured under "Data and origin" and "Feedbacks".     Image: Conclusion of facts and signature checks of which the pase phrases are configured under "Data and origin" and "Feedbacks".     Image: Conclusion of facts and signature checks of which the pase phrases are configured under "Data and origin" and "Feedbacks".     Image: Conclusion of facts and signature checks of which the initial transaction requests (depending on the URL called)   Image: Conclusion of facts and signature checks and signature checks are configured under checks are configured under checks are configured under checks are configured under checks are configur			
Year leveling       Coold releveling       Coold releveling       Data and origin vertication       Tabaction release       Tabaction release       Tabaction release       Tabaction release         Image:	Total secting       Dotal secting parameter       Data and origin* and "Feedbacks".			
Hashing method         i       To sconfiguration affects all signature checks of which the pass phrases are configured under "Data and origin" and "Feedbacks".         i       Hash algorithm         i       SHA-1         i       SHA-256         i       SHA-512         i       Character encoding         i       Use character encoding espected with the initial transaction request (depending on the URL called)         i       StoRe35-1         i       UTF-8	Image: Status method	Your technica	Global transaction parameters	Goodi security parameters Payment Page Data and origin verification irransaction feedback. Transaction e-mails Text into
Image: Construction of Fects all signature checks of which the pass phrases are configured under "Data and origin" and "Feedbacks".         Image: Configuration affects all signature checks of which the pass phrases are configured under "Data and origin" and "Feedbacks".         Image: Configuration affects all signature checks of which the pass phrases are configured under "Data and origin" and "Feedbacks".         Image: Configuration affects all signature checks of which the pass phrases are configured under "Data and origin" and "Feedbacks".         Image: Configuration affects all signature checks of which the pass phrases are configured under "Data and origin" and "Feedbacks".         Image: Configuration affects all signature checks of which the pass phrases are configured under "Data and origin" and "Feedbacks".         Image: Configuration affects all signature checks of which the pass phrases are configured under "Data and origin" and "Feedbacks".         Image: Configuration affects all signature checks of which the pass phrases are configured under "Data and origin" and "Feedbacks".         Image: Configuration affects all signature checks of which the pass phrases are configured under "Data and origin" and "Feedbacks".         Image: Configuration affects all signature checks of which the pass phrases are configured under "Data and origin" and "Feedbacks".         Image: Configuration affects all signature checks of which the pass phrases are configured under "Data and origin" affects are configured under "Data and origin" affec	Image: Control of Cont	Unities	a method	
i       Tis configuration affects all signature checks of which the pass phrases are configured under "Data and origin" and "Feedbacks".         i       Hash algorithm         • SHA-1       SHA-256         • SHA-512         i       Character encoding         • Use the character encoding espected with the initial transaction request (depending on the URL called)         • SO-8859-1         • STA-52         • STA-53	<ul> <li>is to configuration affects all signature checks of which the pase phrases are configured under "Data and origin" and "Feedbacks".</li> <li>is Ha-1         <ul> <li>is SHA-1</li> <li>is SHA-256</li> <li>is SHA-512</li> </ul> </li> <li>is Character encoding         <ul> <li>is the character encoding expected with the initial transaction request (depending on the URL called)</li> <li>is SASSE1</li> </ul> </li> </ul>	Hashing	ç mediod	
<ul> <li>Hash algorithm</li> <li>SHA-1</li> <li>SHA-256</li> <li>SHA-512</li> <li>Character encoding</li> <li>Use the character encoding expected with the initial transaction request (depending on the URL called)</li> <li>ISO-8859-1</li> <li>UTF-8</li> </ul>	Rash algorithm SHA-1 SHA-256 SHA-512 Character encoding © Use the character encoding expected with the initial transaction request (depending on the URL called) © ISO-8859-1 © UTF-8 SAVE		This configuration affects all si	gnature checks of which the pass phrases are configured under "Data and origin" and "Feedbacks".
<ul> <li>Hash algorithm</li> <li>SHA-1</li> <li>SHA-256</li> <li>SHA-512</li> <li>Character encoding</li> <li>U be the character encoding expected with the initial transaction request (depending on the URL called)</li> <li>ISO-885-1</li> <li>UTF-8</li> </ul>	<ul> <li>Hash algorithm</li> <li>SHA-1</li> <li>SHA-256</li> <li>SHA-512</li> <li>Character encoding</li> <li>Use the character encoding expected with the initial transaction request (depending on the URL called)</li> <li>ISO-8859-1</li> <li>UTF-8</li> </ul>			
<ul> <li>SHA-1</li> <li>SHA-256</li> <li>SHA-512</li> <li>Character encoding</li> <li>U be the character encoding expected with the initial transaction request (depending on the URL called)</li> <li>ISO-8859-1</li> <li>UTF-8</li> </ul>	<ul> <li>SHA-1</li> <li>SHA-256</li> <li>SHA-512</li> <li>Character encoding</li> <li>Use the character encoding expected with the initial transaction request (depending on the URL called)</li> <li>ISO-8859-1</li> <li>UTF-8</li> </ul>	(i)	Hash algorithm	
SAVE	SIX-256 SIX-256 SIX-252 Character encoding Use the character encoding expected with the initial transaction request (depending on the URL called) SIX-8 SAVE			
SHA-512      Character encoding         Use the character encoding expected with the initial transaction request (depending on the URL called)         ISO-8839-1         O UTF-8  SAVE	SHA-512      Character encoding         Use the character encoding expected with the initial transaction request (depending on the URL called)         IsO-8835-1         UTF-8      SAVE		SHA-1	
Character encoding  Use the character encoding expected with the initial transaction request (depending on the URL called)  ISO-8859-1  UTF-8  SAVE	Character encoding Use the character encoding expected with the initial transaction request (depending on the URL called) USO-8855-1 UTF-8 SAVE		<ul> <li>SHA-1</li> <li>SHA-256</li> </ul>	
Character encoding Use the character encoding expected with the initial transaction request (depending on the URL called) ISO-8859-1 UTF-8 SAVE	Character encoding.  Use the character encoding expected with the initial transaction request (depending on the URL called)  ISO-8859-1  UTF-8  SAVE		<ul> <li>SHA-1</li> <li>SHA-256</li> <li>SHA-512</li> </ul>	
Use the character encoding expected with the initial transaction request (depending on the URL called)     ISO-8859-1     UTF-8 SAVE	Use the character encoding expected with the initial transaction request (depending on the URL called)     ISO-8855-1     UTF-8  SAVE		<ul> <li>SHA-1</li> <li>SHA-256</li> <li>SHA-512</li> </ul>	
0 ISO-8859-1 0 UTF-8 SAVE	() ISO-8859-1     () UTF-8     SAVE	(i)	<ul> <li>SHA-1</li> <li>SHA-256</li> <li>SHA-512</li> </ul>	
O UTF-8 SAVE	O UTF-8 SAVE	i	SHA-1 SHA-256 SHA-512 Character encoding Use the character encoding expected	with the initial transaction request (depending on the URL called)
SAVE	SAVE	i	<ul> <li>SHA-1</li> <li>SHA-256</li> <li>SHA-512</li> <li>Character encoding</li> <li>Use the character encoding expected</li> <li>ISO-8859-1</li> </ul>	with the initial transaction request (depending on the URL called)
SAVE	SAVE	ì	<ul> <li>SHA-1</li> <li>SHA-256</li> <li>SHA-512</li> <li>Character encoding</li> <li>Use the character encoding expected</li> <li>ISO-8859-1</li> <li>UTF-8</li> </ul>	with the initial transaction request (depending on the URL called)
		i	<ul> <li>SHA-1</li> <li>SHA-256</li> <li>SHA-512</li> <li>Character encoding</li> <li>Use the character encoding expected</li> <li>ISO-8859-1</li> <li>UTF-8</li> </ul>	with the initial transaction request (depending on the URL called)
	Hardburgerschlandt, einerschlandt Bernel von Hardburge 10,712,01,00,0420, DSRID, einerschlandt Hardburge 10,171,10,01,00,020, DSRID	i	<ul> <li>SHA-1</li> <li>SHA-256</li> <li>SHA-512</li> <li>Character encoding</li> <li>Use the character encoding expected</li> <li>ISO-8859-1</li> <li>UTF-8</li> </ul>	with the initial transaction request (depending on the URL called)

Ŵ	Configuration			Save Config
DASHBOARD	Contact us: support@magenest.com			
\$ SALES	<ul> <li>Required Settings</li> <li>Backward eBD0 config</li> </ul>			
*	ual care of coning	PSPID	nuanghien95	
		[website]	(Barday-ard ePDQ) Your affiliation name in our system	7
		Hash algorithm [website]	SHA-512 A	
			SHA-256 SHA-512 nash algorithm musi be same comig with barciaycaru er biq comig	
CONTENT		Order prefix	demo	
REPORTS		[website]	Enter some prefix character (max 5 characters)	
STORES	Defau	It Settlement Currency [store view]	GBP Only Input currency code is supported by Barclaycard.	
*			n you leave blank cliss neid, the payment Will use base currency of your store.	

## ePDQ Hosted Payment Page integration (Recommend Integration)

#### Barclaycard config

You should fill out 3 URL in Barclay

#### Main URL

Go to Configuration -> Technical Information -> Data and origin verification.

Fill main URL in "Checks for e-Commerce"

Configuration	Save Config
<ul> <li>ePDQ Hosted Payment Page integration (</li> </ul>	Recommend Integration)
Process payments methods	
Barclaycard config	Please copy and paste these url to Barclaycard Configuration
[store view]	Main IIrl
	http://barclavcard.demo.izvsvnc.com/
	Notification Url
	http://barclaycard.demo.lzysync.com/barclaycard/checkout/response
	Notification Error Url
	http://barclaycard.demo.lzysync.com/barclaycard/checkout/responseNok
Enabled	Yes 🔻
[store view]	Enabled the module in checkout page
Title	Barclaycard HPP method (Recommend Integration)
[store view]	Payment method title displayed on Checkout page
Payment Action	Authorize and Capture (Sale)
[website]	
SHA-in pass phrase	
[website]	(Barclaycard ePDQ) Sha-in phrase can get in "Configuration->Technical information- >Data and origin verification"
SHA-out pass phrase	
(website)	(Barclaycard ePDQ) Sha-out phrase can get in "Configuration->Technical information- >Transaction feedback"
Sandbox Mode Enabled	Yes
[website]	Test Sandbox Mode
New Order Status	Please Select 💌
emo.izysync.com/admin/admin/system_conrig/edit/section/payment/#payment_us_magenest_barclaycard_barclaycard_hpp-link	

• Notification URL and Notification error URL

Go to Configuration -> Technical Information -> Transaction feedback -> Go to "Direct HTTP server-to-server request" and fill URL in.

	(1)
	1 You can revervite the default redirection URLs configured above by sending along redirection URLs in the transaction details.
D	I would like to receive transaction feedback parameters on the redirection URLs.
I)	g I would like Barclaycard to display a short text to the customer on the secure payment page if a redirection to my website is detected immediately after the payment process.
rect HTTI	arrer-to-arrer request
1	Timing of the request
	No repust.
	Online
	URL of the morchanic's post-payment page
	If the payment's status is "accepted", "on hold" or "ancertain".
	http://barday.card/demo.izyayn.com/barday.card/checkout/response 😽 Karaman Kara
	If the payment's stars is "cancelled by the client" or "noo many rejections by the acquirer".
	http://barclaycard.demo.lzysync.com/barclaycardicheckout/responseNok (i
	Request method
	® rost
	Notification Error URL
namic e-C	Prost     Oct     Oct     Notification Error URL
namic e-C	Post     OCT      Notification Error URL      Total and the second of the second
namic e-C	e post     oct     Notification Error URL     oct     To compare the second of th
namic e-C	POST     O ET     Notification Error URL     Notification Error URL
namic e-C	POST     OCT     Notification Error URL     The archarge loss allows you to select or develoc the parameters you wish to receive as feedback, for a transaction and move them from one loss to another. Please note that NCERROR, PAVID, ORDERID, STATUS are default parameters and selected as such and cannot be removed.     AAACHECKS     AAAACHECKS     AAACHECKS     AAACHECKS     AAACHECKS     AAAACHECKS     AAAACHECKS     AAAACHECKS     AAAACHECKS     AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
namic e-C	POST O GT       Notification Error URL      Transmere parameters and where the parameters you while to receive as feedback for a transaction and move them from one box to another. Please note that NCERROR, PAYID, ORDERID, STATUS are default parameters and where the move.  AAACHEESK  AAACHEESK  AAAVAMAE  AAAVAMAE AAAVAMAE AAAVAMAE  AAAVAMAE AAAVAMAE AAAVAMAE AAAVAMAE AAAVAMAE AAAVAMAE AAA
namic e-C	POST Notification Error URL To ret To return the parameters you while to receive as feedback for a transaction and move them form one how to another. Please note that NCLERROR, RAVED, ORDERADD, STATUS are default garameters and where da such and cannot be removed. Anacopacity Canadity Canadit
namic e-C	POST C CT  CT  Interceduary space advected the parameters you which to receive as freedback for a transaction and move them from one hort to another. Please nose that NCZERROR, RAYID, ORDERID, STATUS are default parameters and selected as such and cannot be removed. AAACOPECSS A
namic e-C	POST     OCT     Notification Error URL     Notification Error URL      Automatication     Summary seameters
namic e-C Alias gat	POST     Notification Error URL     Notification Error URL      Machine Error URL
namic e-C Alias gat	POST     Outfication Error URL     Notification Error URL      Notificatio Error URL      Notificatio Error URL      Notificatio Error UR
namic e-C Alias gat namic par	POST C TC  C TC
namic e-C Alias gat namic par	POST     Ort     Notification Error URL
namic e-C Alias gata	Post Notification Error URL Intervention Interve
Alias gata	POST C TC  C TC
Ailas gat	P RST C IT Notification Error URL Notific

- SHA-in pass phrase Go to Configuration -> Technical Information -> Data and origin verification.

Fill password in "SHA-in pass phrase"

And back to configuration, fill that pass to "SHA-in pass phrase"

🜒 barcla <u>ı</u>	Jeard TEST
Home Supp	art Configuration -> Advanced -> Operations ->
Your technical se	ettings Global transaction parameters Global security parameters Page Data and origin verification Transaction feedback Transaction e-mails Test info
Checks fo	r e-Commerce
i	URL of the merchant page containing the payment form that will call the page: orderstandard.asp http://payments.demo.izysync.com/http://barclaycard.demo.izysync.com/
	You may enter several URLs, separated by "y".
i	SHA-IN pass phrase VISIBLE VISIBLE
Checks for	Barclaycard e-Terminal When using these transaction submission modes, you have to log into the back office beforehand.
Checks fo	r Barclayeard Direct Link
i	When using these transaction submission modes, login details have to be transmitted in the HTTP parameters. IP address 118 70 109 213 216 70 112 199
	You may enter several IP addresses, separated by ","
i	SHA-IN pass phrase VISIBLE
SAVE	

#### Fill password in the SHA-in pass phrase

Ŵ	Configuration			Save Config
DASHBOARD SALES			Intep://war.usyca.useriou.cgsync.com/ Notification Uf http://barclaycard.demo.tzysync.com/barclaycard/checkout/response Notification Error Uf http://barclaycard.demo.tzysync.com/barclaycard/checkout/responseNok	
PRODUCTS		Enabled [store view]	Yes   Enabled the module in checkout page	
CUSTOMERS		Title [store view]	Barclaycard HPP method (Recommend Integration) Payment method title displayed on Checkout page	
		Payment Action	Authorize and Capture (Sale)	
	Same with SHA-IN pass phrase in Barclay $\longrightarrow$	SHA-in pass phrase [website]	 Barclaycard ePDQ) Shain phrase can get in "Configuration->Technical Information- >Data and origin verification"	
STORES		SHA-out pass phrase [website]	(Barclaycard ePDO) Sha-out phrase can get in "Configuration->Technical information- >Transaction feedback"	_
FIND PARTNERS & EXTENSIONS		Sandbox Mode Enabled [website]	Yes v Test Sandbox Mode	
		New Order Status	Please Select 🔹	
		Sort Order [store view]	-1	
		Language Code [store view]	en_US	<ul> <li>Use system value</li> </ul>
	⊙ Additional Conf	igurations		
				Ţ

SHA-out pass phrase Go to Configuration->Technical information->Transaction feedback -> Find "Security for request parameters" and fill password in the SHA-OUT pass pharse

All tra	nsaction submission modes								
ecurity fo	or request parameters								
<b>i</b>	SHA-OUT pass phrase								
	•••••	VISIBLE							
_ L									
i	Basic Authentication Credentials								
	Username								
	Password			VISIBLE					
TTP req	uest for status changes								
i	Timing of the request								
	No request.								
	Only at the time of the order authorisation request.								
	For each offline status change (pay	For each offline status change (payment, cancellation, etc.).							
	URL on which the merchant wishes to	receive a deferred HTTP request, should the status of a transaction change offline.							

#### Fill password in the SHA-out pass phrase

Configuration			Save Config
	Enabled [store view]	Temperhain output dualet mounty synchronian dual particular and inclusional or particular dualet mounty.           Yes         •           Enabled the module in checkout page         •	
	Title [store view]	Barclaycard HPP method (Recommend Integration) Payment method title displayed on Checkout page	
	Payment Action [website]	Authorize and Capture (Sale)	
	SHA-in pass phrase [website]	(Barclaycard ePDQ) Sha-in phrase can get in "Configuration->Technical information-	
Same with SHA-OUT pass phrase in Barclay —————	SHA-out pass phrase [website]	West reading in West Inter	
	Sandbox Mode Enabled [website]	Yes v Test Sandbox Mode	
	New Order Status [store view]	Please Select 💌	
	Sort Order [store view]	.1	
	Language Code [store view]	en_US	<ul> <li>Use system value</li> </ul>
S Additional Conng	urations		
⊙ ePDQ Direct Link			

When done, please press Save Config, your configuration is ready to use.

# **Main Functions**

## \* Easily Checkout Using Credit Card

At frontend, customer will need to choose an item and click on Add to Cart button.

	Welcome, jonsonl jonson alex 🗸
🚫 LUMA	Search entire store here Q
Sale Training Women	
<page-header></page-header>	<text><text><text><text><text></text></text></text></text></text>
Links Trailer #1 sample	\$75.00 Add to Cart Add to Wish List III Add to Compare Email
Details         Reviews           Luma presents an innovative power vinyasa yoga class for intermediate and advanced practitioners. The rest. This class is great for more advanced students looking to learn proper alignment in their yoga pratestimate includes a breakdown of 12 different postures.           • Includes a breakdown of 12 different postures.           • Chataranga Dandasana and prayer twist.           • Challenging posture (side crow).           • 55 minutes of movement.	he video allows you to pace yourself, but more intense work yields longer ctice.
Privacy and Cookie Policy Search Terms Contact Us Advanced Search	Enter your email address Subscribe
Copyright © 2016 Magento. All rights r	

Then click Barclaycard SmartPay HPP Method:

0

<image/>	<image/>				
<image/> <form><form></form></form>	<image/> <form><form><form><form><form><form></form></form></form></form></form></form>				
<image/> <form></form>	<complex-block></complex-block>				
<form><form></form></form>	<form></form>				
<pre>weight of the payments  Payment  Payment Paymen</pre>	<pre>week &amp; Fighterits Payment week &amp; Fighterits Payment Payme</pre>				
Payment   • weps dreat payment   • Alory Payment   • Cocic Cool Baylessy:   • Cocic Cool Baylessy:   • Postore Ryment Reattine ITALL   Payment Reattine ITALL Payment Reattine ITALL Payment Reattine ITALL Payment Reattine ITALL Payment Reattine ITALL Payment Reattine ITALL Payment Reattine ITALL Payment Reattine ITALL Payment Reattine ITALL Payment Reattine ITALL Payment Reattine ITALL Payment Reattine ITALL Payment Reattine ITALL Payment Reattin	Payment          • weysy divert payment <ul> <li>Apply Payment</li> <li>Apply Payment</li> <li>Content Confer (Paycon)</li> <li>Content with Barclaycand SmartPay</li> </ul> Content Confer (Paycon) <ul> <li>Continue with Barclaycand SmartPay</li> <li>Content Confer (Paycon)</li> <li>Paylater Payment</li> <li>Paylater Paylater</li> <li>Paylater Paylater</li> <li>Paylater Paylater</li> <li>Paylater Paylater</li> <li>Paylater Paylater</li> <li>Paylater Paylater</li> <li>Paylater</li> <li>Paylater</li> <li>Payla</li></ul>	Review & Payments			
<form></form>	<form></form>	Payment			
<pre>introduce trappingtics interface trappin</pre>	<pre>impound reprice:     function     funct</pre>	Wenay direct navment	Wepay direct payment     Alipay Payment		
Algep Feyners:   Cost Card (Payees):   Cost Card (Pa	• Alogs System: <ul> <li>• Alogs System:</li> <li>• Cate Cad (Jay System):</li> <li>• Private Alogs System:</li> <li>• Private Alogs System:</li> <li>• Private Alogs Alogs System:</li> <li>•</li></ul>				
<form><form></form></form>	<pre>e deal Card Payeey) c cost cardingtoon c cost</pre>	Alipay Payment			4
<form><pre>centereduptions() provide grading deprint () grading deprint () grading deprint () grading deprint () grading deprint () end () end () grading deprint () grading deprint () end (</pre></form>	• Cetic Cardy Payson   • Cetic Cardy Payson     • Cetic Cardy Payson     • Product Paison     • Product Paison <td>Credit Card (Payeezy)</td> <td></td> <td>1 Item in Cart</td> <td></td>	Credit Card (Payeezy)		1 Item in Cart	
<pre>@ file we take you work with the take to be take take to be take take take to be take to be take take take take to be take take take take take to be take take take take take take take tak</pre>	Processes of the second sec	Credit Card(Paybox)		Yoga Adventure	
<pre>webcalls -</pre>	<pre></pre>			Qty: 1	
<pre>present aller 24 26 30th 59, New York X, W10016, USA Xee Xoth 5, New York X, 2035 United States 3 cr: Pricified Payment (Reatime HTML) Prypy Payment Apyty Discount Code Prypy payment Apyty Discount Code Code States Anter Code States Contract US Advanced States Contract US Advanced States Contract VS Advanced States Contract VS Advanced States Contract VS Contract VS C</pre>	proportionale 23 Figh 53, Revervork, NY 10016, USA New York, New York, 12345 United States 9 • Pisicase Payment (Realtime HTML) • Wepay Payment • Pisicase Payment (Realtime HTML) • Wepay Payment • Processed States • Processed Cooler Policy States • Correct Gale • Correct G	BarclaycardSmartPay HPP Method		View Details ~	
24 5 80% r, Nev York, Y1016, USA Wick, New York, 1236 United States 0986754321 Gr Priscip Payment Apply Discount Code Priscip Payment Apply Discount Code Priscip Payment Control to Manage Code Policy South Terms Control to Manage Code Policy South Terms Code Policy Code Polic	21 Edds S, New York, NW York, 12345 United States 0198075421 Edd: Priced Payment [Beaktime HTML] Prived y and Cooke Policy Serrich Terris Contact Us Advanced Search Computed © 2016 Magneto. All rights rearred. Terrer your email address Contact Us Advanced Search	jonson alex			
New York, New York 12495   Uter States   01660754323   Edit   Pixdate Payment (Reatime HTML) • Pixdate Payment (Reatime HTML) • Apply Discount Code  Prwary and Cookle Policy Senter Ties Senter Ties Sater Tierrs Corpute 2 of 04 Magetox All right reserved The clicking Continue with Barclaycard SmartPay . Customer will be redirected to Adyen page.	Nerr Vir, Nerr	23 E 36th St, New York, NY 10016, USA			
<form><form><form></form></form></form>	<pre>image image i</pre>	New York , New York 12345			
Est Curcincue with Barclaycard SmartPur Purpay Payment Purphy Discount Code Through and Codes Polyly Series The This Series Code Series Curcincue with Barclaycard SmartPay - Customer will be redirected to Adyen page.	Edit  Continue with Barclaycard SmartPay  Privay and Cooke Policy Privay and C	01986754321			
Continue with Barclaycard SmartPay Series Contenses and a series of the series of th	Continue with Barclaycard SmartPay	Edit			
Continue with Barclaycard SmartPay  Priscate Payment (Reatione HTML)   w Pay payment:   Aphy Discount Code    Privay and Cooke Policy   Sentation   Sentation   Continue with Barclaycard SmartPay - Customer will be redirected to Adven page.   there clicking Continue with Barclaycard SmartPay - Customer will be redirected to Adven page.	Continue with Barclaycard SmartPay  PSidate Payment (Reatime HTML)  wepay Payment  Apply Discount Code    Privacy and Cocole Policy Search Terms Contart us Advanced Search  Copyright © 2016 Magenta. All rights reserved.  reter clicking Continue with Barclaycard SmartPay . Customer will be redirected to Adyen page.				
Piskase Payment (Reatime HTML)   Wapp Payment   Apply Discount Code    Privay and Cookee Policy Search Terms Carlot A Code Code Code Code Code Code Code Code	Privacy and Cookle Polity Privacy and Cookle Polity Search Terms Contact US Advanced Search Center your email address Contact US		Continue with Barclaycard SmartPay		
Piscate Payment (Realtime HTML)   Wappay Payment   Apply Discount Code   Privacy and Cookle Policy Servich Terms Contact Us Advanced Search Contact Us Conta	Piscate Payment (Realtime HTML)   Wepay Payment   Apply Discount Code   Privacy and Cookie Policy Search Terms Contact Us Advanced Search Center your email address Contact Us				
• Veepay Payment   Apply Discount Code   Privacy and Cooke Policy Search Terms Contact Us Advanced Search Contact Us Con	• Veppy Payment   Apply Discount Code   Privacy and Cookie Policy   Search Terms   Contact Us   Advanced Search   Cogynght 0-2016 Magento. All rights reserved. Ter clicking Continue with Barclaycard SmartPay . Customer will be redirected to Adyen page.	PSiGate Payment (Realtime HTML)			
Appy Discount Code Volky Search Terms Contact Us Advanced Search Terr clicking Continue with Barclaycard SmartPay . Customer will be redirected to Adyen page.	Appy Discount Code v	Wepay Payment			
Privacy and Cookle Policy Search Terms Contact US Advanced Search       Image: Contact US         Copright © 2016 Magento. All rights reserved	Privacy and Cookie Policy search Terms Contact Us Advanced Search Copyright © 2016 Magento. All rights reserved. Ter clicking Continue with Barclaycard SmartPay . Customer will be redirected to Adyen page.	Apply Discount Code 🗸 🗸			
Privacy and Cookie Policy.   Search Terms   Contract Us   Advanced Search   Copyright © 2016 Magento. All rights reserved.    Fer clicking Continue with Barclaycard SmartPay . Customer will be redirected to Adyen page.	Privacy and Cookie Policy Search Terms Contact Us Advanced Search ter clicking Continue with Barclaycard SmartPay . Customer will be redirected to Adyen page.				
Search Terms Contact Us Advanced Search Copyright © 2016 Magento. All rights reserved. Ter Clicking Continue with Barclaycard SmartPay . Customer will be redirected to Adyen page.	Search Terms Contact Us Advanced Search Copyright © 2016 Magentor. All rights reserved.	Privacy and Cookie Policy		Enter your email address	
Contact Us Advanced Search	Contact Us Advanced Search	Search Terms			
Advanced Search Copyright © 2016 Magento. All rights reserved.	Advanced Search Copyright © 2016 Magento. All rights reserved. iter clicking Continue with Barclaycard SmartPay . Customer will be redirected to Adyen page.	Contact Us			
Copyright © 2016 Magento. All rights reserved.	Iter clicking Continue with Barclaycard SmartPay . Customer will be redirected to Adyen page.	Advanced Search			
fter clicking Continue with Barclaycard SmartPay . Customer will be redirected to Adyen page.	fter clicking Continue with Barclaycard SmartPay . Customer will be redirected to Adyen page.		Copyright © 2016 Magento. All rights reserved.		
fter clicking Continue with Barclaycard SmartPay . Customer will be redirected to Adyen page.	fter clicking Continue with Barclaycard SmartPay . Customer will be redirected to Adyen page.				
fter clicking Continue with Barclaycard SmartPay . Customer will be redirected to Adyen page.	fter clicking Continue with Barclaycard SmartPay . Customer will be redirected to Adyen page.				
		ter clicking Continue with Barclaycard SmartPay .	Customer will be redirected to Adyen	page.	

Step 1: Please select your payment method Total payment amount USD 75.00 Credit Card Credit Card
Card Number Card Number Card Holder Name Card Expiry Date Cvv T37 What is CVV? Pay
Next Step: Enter your Payment Details
previous

Customers enter valid information for their transaction and click Pay button. Barclay system will process and send inform to Magento page: Payment is successful!

	Search entire store here	
	Enter your email address	S
Copyright © 2016 Magento. All rights r	reserved.	
	Copyright © 2016 Magento. All rights	Copyright © 2016 Magento. All rights reserved.

Û	Sales	×					۵	\mu 🏚 pa	yments 🔻		
DASHBOARD	Operations							Create New C	Order		
\$ SALES	Orders										
Ŷ	Invoices		Q			<b>T</b> Filters	▶ Default View 👻	Columns 👻 🏦	Export 👻		
PRODUCTS	Shipments	ecor	ds found			2	20 v per page < 1 of 9				
	MERS Credit Memos	ıt	Purchase Date	Bill-to Name	Ship-to Name	Grand Total (Base)	Grand Total (Purchased)	Status	Action		
	Billing Agreements		Mar 21, 2017, 1:03:00 AM	ionson alex		\$75.00	\$75.00	Complete	View		
	Transactions	e Stor ire Vie	e w	,							
		e Stor vre Vie	Mar 20, 2017, 9:03:00 AM e w	jonson alex		\$75.00	\$75.00	Pending Payment	View		
STORES		e Stor re Vie	Mar 20, 2017, 9:03:00 AM e w	hien hien	hien hien	\$231.00	\$231.00	Processing	View		
SYSTEM		e Stor	Mar 20, 2017, 8:03:00 AM	hien hien	hien hien	\$231.00	\$231.00	Processing	View		

#000000189				Q 🔑 上 payments 🕇
		÷	Back Send Email	Credit Memo Reorder
ORDER VIEW	Order & Account Inf	ormation		
Information	Order # 000000189 (T email was sent)	he order confirmation	Account Informat	ion
L			Customer Name	jonson ale
Invoices	Order Date	Mar 21, 2017, 1:25:18 AM	Email	jonsonalex@gmail.com
Cradit Mamos	Order Status	Complete	Customer Group	Gener
Comments History	Purchased From	Main Website Main Website Store Default Store View		
Transactions	Placed from IP	118.70.109.213		
	Address Information	ı		

#### Billing Address Edit

jonson alex 23 E 36th St, New York, NY 10016, USA New York , New York, 12345 United States T: 01986754321

#### Payment & Shipping Method

#### **Payment Information**

BarclaycardSmartPay HPP Method The order was placed using USD.

#### Items Ordered

Product	ltem Status	Original Price	Price	Qty	Subtotal	Tax Amount	Tax Percent	Discount Amount	Row Total
Yoga Adventure	Invoiced	\$75.00	\$75.00	Ordered 1	\$75.00	\$0.00	0%	\$0.00	\$75.00
SKU: Yoga Adventure				Invoiced 1					
Links: Trailer #1 (0 / 2)									

#### Order Total

Submit Comment

Notes for this Order	Order Totals	
Status	Subtotal	\$75.00
Comment	Grand Total	\$75.00
	Total Paid	\$75.00
	Total Refunded	\$0.00
	Total Due	\$0.00
Notify Customer by Email		
Visible on Storefront		

				← Back	Send Em	ail Cr	edit Memo	o Reo	order
ORDER VIEW	Search by keyword	Q		<b>Filters</b>	• Default	tView 🔻	🔅 Columns	• ± 6	Export 👻
Information	Actions -	1 records found			20 🔻	per page	<	1 of 1	1 >
Invoices	Invoice         ↓           000000066         000000066	Invoice Date Mar 21, 2017 1:26:45 AM	Order #	<b>Order Date</b> 9 Mar 21, 201	7 1:25:18 AM	Bill-to Name	e Status Paid	<b>Amount</b> \$75.00	Action
Credit Memos									
Comments History									
Transactions									
Opyright © 2017 Magento Commerce I	Inc. All rights reserved.							Magen	to ver. 2.1.0 Report Bugs

If you want to refund, you should do below step:

In Order View, click Invoices-> View

Appearing Invoice detail, you choose Credit Memo

Then click Refund button. Refund successfully!

To see information about Refunded product, Click Sales->Credit Memos->View

#### NOTE:

All of the payment's process operate in Barclay's payment site, not in Magento.

## **Update**

- When a new update is available, we will provide you with a new package containing our updated extension.
- You will have to delete the module directory and repeat the installing steps above.
- Flush the config cache. Your store and newly installed module should be working as expected.

## **Support**

- We will reply to support requests after 2 business days.
- We will offer lifetime free update and 6 months free support for all of our paid products. Support includes answering questions related to our products, bug/error fixing to make sure our products fit well in your site exactly like our demo.
- Support DOES NOT include other series such as customizing our products, installation and uninstallation service.

Once again, thank you for purchasing our extension. If you have any questions relating to this extension, please do not hesitate to contact us for support.